

Mobile



67 / 100 Speed

Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://farmgrill.de/fb.png> (expiration not specified)
- <http://farmgrill.de/galerie/1.png> (expiration not specified)
- <http://farmgrill.de/galerie/10.png> (expiration not specified)
- <http://farmgrill.de/galerie/2.png> (expiration not specified)
- <http://farmgrill.de/galerie/3.png> (expiration not specified)
- <http://farmgrill.de/galerie/4.png> (expiration not specified)

Mobile

- <http://farmgrill.de/gallerie/5.png> (expiration not specified)
- <http://farmgrill.de/gallerie/6.png> (expiration not specified)
- <http://farmgrill.de/gallerie/7.png> (expiration not specified)
- <http://farmgrill.de/gallerie/8.png> (expiration not specified)
- <http://farmgrill.de/gallerie/9.png> (expiration not specified)
- <http://farmgrill.de/insta.png> (expiration not specified)
- <http://farmgrill.de/js/jquery-3.3.1.min.js> (expiration not specified)
- <http://farmgrill.de/js/jquery.easing.1.3.js> (expiration not specified)
- <http://farmgrill.de/js/jquery.localScroll.js> (expiration not specified)
- <http://farmgrill.de/js/jquery.scrollTo.js> (expiration not specified)
- <http://farmgrill.de/laden.jpeg> (expiration not specified)
- <http://farmgrill.de/logo.png> (expiration not specified)
- <http://farmgrill.de/style.css> (expiration not specified)
-
-

Mobile

5e0!11e11!13m13!2sa!14b1!18m6!5b0!6b0!8b0!9b1!10b0!11b0!22m3!6e2!7e3!8e2!19u14!19u29!3m14!2sen!3sDE!5e289!12m4!1e52!2m2!1senty_class!2s0!12m1!1e68!12m3!1e37!2m1!1ssmartmaps!4e0!5m1!5f2!23i4111425&token=131066 (5 minutes)

-
- [https://maps.googleapis.com/maps/api/js?client=google-maps-embed&paint_origin=&libraries=geometry,search&v=3.exp&language=en®ion=de](https://www.google.com/maps/vt?pb=!1m5!1m4!1i17!2i68578!3i43622!4i256!2m3!1e0!2sm!3i422122552!2m37!1e2!2sspotlight!5i1!8m33!1m8!12m7!10b0!12splaceholder!19m3!1b0!2zNSw2LDI0LDQ1LDc1LDkz!3s0x0%3A0x4973bd0e0b872119!20e3!2m6!1s0x47bbc3114e439e0d%3A0x4973bd0e0b872119!2sFarm+Grill!4m2!3d51.4431203!4d8.353792799999999!5e0!11e11!13m13!2sa!14b1!18m6!5b0!6b0!8b0!9b1!10b0!11b0!22m3!6e2!7e3!8e2!19u14!19u29!3m14!2sen!3sDE!5e289!12m4!1e52!2m2!1senty_class!2s0!12m1!1e68!12m3!1e37!2m1!1ssmartmaps!4e0!5m1!5f2!23i4111425&token=58870 (5 minutes)• <a href=) (30 minutes)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://farmgrill.de/js/jquery-3.3.1.min.js>
- <http://farmgrill.de/js/jquery.localScroll.js>
- <http://farmgrill.de/js/jquery.easing.1.3.js>

Mobile

- <http://farmgrill.de/js/jquery.scrollTo.js>

[Optimize CSS Delivery](#) of the following:

- <http://farmgrill.de/style.css>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 91KiB (67% reduction).

- Compressing <http://farmgrill.de/js/jquery-3.3.1.min.js> could save 55.3KiB (65% reduction).
- Compressing <http://farmgrill.de/> could save 22.1KiB (76% reduction).
- Compressing <http://farmgrill.de/js/jquery.easing.1.3.js> could save 6KiB (75% reduction).
- Compressing <http://farmgrill.de/js/jquery.scrollTo.js> could save 3.3KiB (58% reduction).
- Compressing <http://farmgrill.de/style.css> could save 2.5KiB (65% reduction).
- Compressing <http://farmgrill.de/js/jquery.localScroll.js> could save 1.9KiB (54% reduction).

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 927B (24% reduction).

- Minifying <http://farmgrill.de/style.css> could save 927B (24% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 8.7KiB (51% reduction).

- Minifying <http://farmgrill.de/js/jquery.easing.1.3.js> could save 4.4KiB (55% reduction).
- Minifying <http://farmgrill.de/js/jquery.scrollTo.js> could save 2.5KiB (45% reduction).
- Minifying <http://farmgrill.de/js/jquery.localScroll.js> could save 1.8KiB (53% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 30.6KiB (53% reduction).

- Compressing <http://farmgrill.de/insta.png> could save 17.3KiB (50% reduction).
- Compressing <http://farmgrill.de/fb.png> could save 13.3KiB (60% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Mobile

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

72 / 100 User Experience

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Speisekarte and 4 others render only 8 pixels tall (20 CSS pixels) final.

Mobile

- Lorem ipsum do...olor sit amet. and 17 others render only 6 pixels tall (16 CSS pixels) final.
- Haftungsausschluss: and 7 others render only 6 pixels tall (16 CSS pixels) final.
- Neue Öffnungszeiten and 2 others render only 6 pixels tall (16 CSS pixels) final.
- Map data ©2018...©2009), Google and 1 others render only 4 pixels tall (10 CSS pixels).
- Sign in renders only 4 pixels tall (11 CSS pixels).
- Farm Grill renders only 5 pixels tall (14 CSS pixels).
- 59581 Warstein renders only 5 pixels tall (12 CSS pixels).
- Save renders only 5 pixels tall (12 CSS pixels).
- 5.0 renders only 5 pixels tall (14 CSS pixels).
- 1 review renders only 5 pixels tall (12 CSS pixels).
- View larger map renders only 5 pixels tall (12 CSS pixels).
- Niklas schrieb am 05.04.2018 and 1 others render only 6 pixels tall (16 CSS pixels).
- Super Gyros-Pizza ☺ and 1 others render only 6 pixels tall (16 CSS pixels).
- Alle Bewertungen ansehen and 1 others render only 5 pixels tall (13 CSS pixels).

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<div id="mapDiv">Map DataMap da...iew larger map</div>` is close to 1 other tap targets.
- The tap target `<div>Map DataMap da...iew larger map</div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.

Mobile

- The tap target `Terms of Use` is close to 1 other tap targets.
- The tap target `<div>Farm Grill 595...iew larger map</div>` is close to 1 other tap targets.
- The tap target `1 review` is close to 1 other tap targets.
- The tap target `<button type="button"></button>` and 1 others are close to other tap targets.
- The tap target `` is close to 4 other tap targets.



2 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Desktop



67 / 100 Speed

 Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://farmgrill.de/fb.png> (expiration not specified)
- <http://farmgrill.de/gallerie/1.png> (expiration not specified)
- <http://farmgrill.de/gallerie/10.png> (expiration not specified)
- <http://farmgrill.de/gallerie/2.png> (expiration not specified)
- <http://farmgrill.de/gallerie/3.png> (expiration not specified)
- <http://farmgrill.de/gallerie/4.png> (expiration not specified)
- <http://farmgrill.de/gallerie/5.png> (expiration not specified)
- <http://farmgrill.de/gallerie/6.png> (expiration not specified)
- <http://farmgrill.de/gallerie/7.png> (expiration not specified)
- <http://farmgrill.de/gallerie/8.png> (expiration not specified)
- <http://farmgrill.de/gallerie/9.png> (expiration not specified)
- <http://farmgrill.de/insta.png> (expiration not specified)
- <http://farmgrill.de/js/jquery-3.3.1.min.js> (expiration not specified)
- <http://farmgrill.de/js/jquery.easing.1.3.js> (expiration not specified)
- <http://farmgrill.de/js/jquery.localScroll.js> (expiration not specified)
- <http://farmgrill.de/js/jquery.scrollTo.js> (expiration not specified)
- <http://farmgrill.de/laden.jpeg> (expiration not specified)
- <http://farmgrill.de/logo.png> (expiration not specified)
- <http://farmgrill.de/style.css> (expiration not specified)

Desktop

-
-
-
-

Desktop

7!2m1!1ssmartmaps!4e0!23i4111425&token=66767 (5 minutes)

- https://maps.googleapis.com/maps/api/js?client=google-maps-embed&paint_origin=&libraries=geometry,search&v=3.exp&language=en®ion=de (30 minutes)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 217.2KiB (80% reduction).

- Compressing and resizing <http://farmgrill.de/laden.jpeg> could save 186.6KiB (87% reduction).
- Compressing <http://farmgrill.de/insta.png> could save 17.3KiB (50% reduction).
- Compressing <http://farmgrill.de/fb.png> could save 13.3KiB (60% reduction).



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 91KiB (67% reduction).

- Compressing <http://farmgrill.de/js/jquery-3.3.1.min.js> could save 55.3KiB (65% reduction).
- Compressing <http://farmgrill.de/> could save 22.1KiB (76% reduction).
- Compressing <http://farmgrill.de/js/jquery.easing.1.3.js> could save 6KiB (75% reduction).
- Compressing <http://farmgrill.de/js/jquery.scrollTo.js> could save 3.3KiB (58% reduction).
- Compressing <http://farmgrill.de/style.css> could save 2.5KiB (65% reduction).

Desktop

- Compressing <http://farmgrill.de/js/jquery.localScroll.js> could save 1.9KiB (54% reduction).

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 927B (24% reduction).

- Minifying <http://farmgrill.de/style.css> could save 927B (24% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 8.7KiB (51% reduction).

- Minifying <http://farmgrill.de/js/jquery.easing.1.3.js> could save 4.4KiB (55% reduction).
- Minifying <http://farmgrill.de/js/jquery.scrollTo.js> could save 2.5KiB (45% reduction).
- Minifying <http://farmgrill.de/js/jquery.localScroll.js> could save 1.8KiB (53% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Desktop

[Remove render-blocking JavaScript:](#)

- <http://farmgrill.de/js/jquery-3.3.1.min.js>
- <http://farmgrill.de/js/jquery.localScroll.js>
- <http://farmgrill.de/js/jquery.easing.1.3.js>
- <http://farmgrill.de/js/jquery.scrollTo.js>

[Optimize CSS Delivery](#) of the following:

- <http://farmgrill.de/style.css>



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).