

PageSpeed Insights

Mobile

☰ Süddeutsche Zeitung

ANZEIGE

FRAG DOCH INTERHYP!
Jetzt 500 Euro gewinnen

Home > Bildung

IQ Tester - Der kostenlose IQ-Test online mit Sofortergebnis

Gratis IQ Test online – Wie intelligent sind Sie?
IQ Tester - wie gut sind Sie im analytischen Denken und im logischen Schlussfolgern? Mit Hilfe des gratis IQ-Tests auf Süddeutsche.de können sie annähernd verlässlich ermitteln, wie hoch Ihr Intelligenzquotient ist. Der IQ Test enthält **86** Fragen und dauert etwa **60** Minuten, er beinhaltet verbale, numerische und bildhafte Aufgaben in sechs verschiedenen Intelligenztest.

Geben Sie Ihr Alter an und starten Sie den Test. Viel Erfolg!

Ihr Alter:

IQ-Test starten

Twitter

43 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 357KiB (68% reduction).

- Compressing <http://polpix.sueddeutsche.com/staticassets/js/mobile.js?r=1523288006.1> could save 180.9KiB (67% reduction).
- Compressing <http://iqtest.sueddeutsche.de/assets/application-61afe7bbfab93adbf839e93c4cd5f62.js> could save 92.2KiB (66% reduction).
- Compressing <http://iqtest.sueddeutsche.de/> could save 51.9KiB (83% reduction).
- Compressing <http://iqtest.sueddeutsche.de/assets/application-7f2c092d3682ea7cc0aa621d5e93362e.css> could save 10.6KiB (77% reduction).

Mobile

- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/sz_logo_mobile.svg could save 8.9KiB (62% reduction).
- Compressing http://polpix.sueddeutsche.com/staticassets/img/siteheader/sz_logo_mobile.svg could save 8.9KiB (62% reduction).
- Compressing http://iqtest.sueddeutsche.de/assets/neo_mobile-e2653057b4caa8cc61044646da6f1148.css could save 2.4KiB (75% reduction).
- Compressing <http://ups.xplosion.de/loader/97578/default.js?xplrdir=1> could save 758B (50% reduction).
- Compressing http://polpix.sueddeutsche.com/staticassets/img/siteheader/mobile_menu_burger.svg could save 226B (48% reduction).
- Compressing http://iqdigital.demdex.net/event?_ts=1523979725510 could save 120B (29% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://iqtest.sueddeutsche.de/assets/application-61afe7bbfab93adbf839e93c4cd5f62.js> (expiration not specified)
- <http://iqtest.sueddeutsche.de/assets/application-7f2c092d3682ea7cc0aa621d5e93362e.css> (expiration not specified)
- <http://iqtest.sueddeutsche.de/assets/button.png> (expiration not specified)
- http://iqtest.sueddeutsche.de/assets/neo_mobile-e2653057b4caa8cc61044646da6f1148.css (expiration not specified)
- <http://iqtest.sueddeutsche.de/assets/print-fe9cfb2662ba151d1010cada3b6c3feb.css> (expiration not specified)
- http://polpix.sueddeutsche.com/staticassets/img/siteheader/mobile_menu_burger.svg (expiration not specified)
- http://polpix.sueddeutsche.com/staticassets/img/siteheader/sz_logo_mobile.svg (expiration not specified)

Mobile

- <https://dmp.theadex.com/d/496/1862/s/adex.js> (5 minutes)
- <https://syndication.twitter.com/settings> (10 minutes)
- <http://s0.2mdn.net/instream/html5/ima3.js> (15 minutes)
- <http://www.googletagmanager.com/gtm.js?id=GTM-PXNL5Z> (15 minutes)
- <http://www.googletagservices.com/tag/js/gpt.js> (15 minutes)
- http://connect.facebook.net/de_DE/all.js (20 minutes)
- <http://platform.twitter.com/widgets.js> (30 minutes)
- <http://pp.lp4.io/app/56/5c/1c/565c1c50e45a1dc6499404c1.js> (30 minutes)
- <https://apis.google.com/js/plusone.js> (30 minutes)
- https://apis.google.com/js/rpc:shindig_random.js?onload=init (30 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <http://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)
- <http://www.google-analytics.com/plugins/ua/linkid.js> (60 minutes)
- <https://assets.adobedtm.com/launch-EN9015395a234d4173854ccfa304a0bc6c.min.js> (60 minutes)
- <http://script.ioam.de/iam.js> (2 hours)
- <http://stats.g.doubleclick.net/dc.js> (2 hours)
- <http://www.google-analytics.com/analytics.js> (2 hours)
- <https://z.moatads.com/iqdigital277772407506/moatad.js> (4.9 hours)
- <http://media-cdn.sueddeutsche.de/interactiveeditorial/assets/css/96c094d07cf305dbe8c8693f6a1d0907-mobile.css> (24 hours)
- <http://media-cdn.sueddeutsche.de/interactiveeditorial/assets/js/102f9a105bb7642da9811abc58ccaac0-interactiveeditorial.js> (24 hours)
- <http://media-cdn.sueddeutsche.de/paidarticlefurtherreading/assets/css/b4b6d4e4d4c16a275dc900ab42110599-paidarticlefurtherreading.css> (24 hours)
- <http://media-cdn.sueddeutsche.de/paidarticlefurtherreading/assets/js/5c8acf72bcc548d0722cd2dad761ca5-paidarticlefurtherreading.js> (24 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Mobile

Your page has 5 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://polpix.sueddeutsche.com/staticassets/js/mobile.js?r=1523288006.1>
- <http://script.ioam.de/iam.js>
- <http://s0.2mdn.net/instream/html5/ima3.js>
- http://media-cdn.sueddeutsche.de/globalassets/adcontroller/cdn_sz_mob/87ae379f51f792bbf099a184e8196acd
- <http://iqtest.sueddeutsche.de/assets/application-61afe7bbfab93adbf839e93c4cd5f62.js>

[Optimize CSS Delivery](#) of the following:

- <http://polpix.sueddeutsche.com/staticassets/css/mobile.css?r=1523288006.1>
- <http://media-cdn.sueddeutsche.de/szmodules/assets/css/b293db58a27733ebdf9fe37d23b9c499-sz-modules-mobile.css>
- <http://media-cdn.sueddeutsche.de/globalassets/css/mobile-prod-b301027cc9bc543b8dabbd479b160762.css>
- <http://media-cdn.sueddeutsche.de/interactiveeditorial/assets/css/96c094d07cf305dbe8c8693f6a1d0907-mobile.css>
- <http://media-cdn.sueddeutsche.de/paidarticlefurtherreading/assets/css/b4b6d4e4d4c16a275dc900ab42110599-paidarticlefurtherreading.css>
- <http://iqtest.sueddeutsche.de/assets/application-7f2c092d3682ea7cc0aa621d5e93362e.css>
- http://iqtest.sueddeutsche.de/assets/neo_mobile-e2653057b4caa8cc61044646da6f1148.css



Consider Fixing:

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many

Mobile

bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 17.6KiB (29% reduction).

- Minifying <http://iqtest.sueddeutsche.de/> could save 17.6KiB (29% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.2KiB (15% reduction).

- Minifying <http://script.ioam.de/iam.js> could save 913B (13% reduction) after compression.
- Minifying <http://media-cdn.sueddeutsche.de/interactiveeditorial/assets/js/102f9a105bb7642da9811abc58ccaac0-interactiveeditorial.js> could save 309B (31% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 18.8KiB (61% reduction).

- Compressing <https://tpc.googlesyndication.com/pagead/imgad?id=CICAgKDrtYbFvQEQRgBMgj2T32sNwhB1A> could save 17KiB (60% reduction).
- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/arrow_retina.png?r=ua34254ea could save 967B (66% reduction).
- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/magnifying_glass.png?r=ua34254ea could save 914B (77% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

62.6KiB of the HTML response was required to render the above-the-fold content. This requires 3 network round-trips. However, if the HTML response were compressed, then the HTML required to render the above-the-fold content could be delivered in just 1 network round-trips. [Enable compression](#) for the HTML response in order to prioritize the visible content for this page.

- None of the final above-the-fold content could be rendered with the HTML delivered within 2 round-trips.



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

100 / 100 User Experience



5 Passed Rules

Mobile

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop

Desktop



54 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 395.1KiB (69% reduction).

- Compressing <http://polpix.sueddeutsche.com/staticassets/js/sde-core.js?r=1523288006.1> could save 203KiB (67% reduction).
- Compressing <http://iqtest.sueddeutsche.de/assets/application-61afe7bbfab93adbf839e93c4cd5f62.js> could save 92.2KiB (66% reduction).
- Compressing <http://iqtest.sueddeutsche.de/> could save 88.5KiB (76% reduction).
- Compressing <http://iqtest.sueddeutsche.de/assets/application-7f2c092d3682ea7cc0aa621d5e93362e.css> could save 10.6KiB (77% reduction).
- Compressing <http://ups.xpllosion.de/loader/97578/default.js?xplrdir=1> could save 758B (50% reduction).
- Compressing http://iqdigital.demdex.net/event?_ts=1523979737119 could save 120B (29% reduction).

Leverage browser caching

Desktop

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://iqtest.sueddeutsche.de/assets/application-61afe7bbfab93adbf839e93c4cd5f62.js> (expiration not specified)
- <http://iqtest.sueddeutsche.de/assets/application-7f2c092d3682ea7cc0aa621d5e93362e.css> (expiration not specified)
- <http://iqtest.sueddeutsche.de/assets/button.png> (expiration not specified)
- <http://iqtest.sueddeutsche.de/assets/print-fe9cfb2662ba151d1010cada3b6c3feb.css> (expiration not specified)
- http://polpix.sueddeutsche.com/staticassets/img/modules/weather/heiter-rgb_50x60.png (expiration not specified)
- http://polpix.sueddeutsche.com/staticassets/img/modules/weather/heiter_nachts-rgb_50x60.png (expiration not specified)
- http://polpix.sueddeutsche.com/staticassets/img/modules/weather/wolkig-rgb_50x60.png (expiration not specified)
- <http://www.sueddeutsche.de/news/homepagefeed/count?timestamp=0> (30 seconds)
- <http://media-cdn.sueddeutsche.de/adblock/adx/images/ADS/admax/adops/ads.js> (60 seconds)
- <https://dmp.theadex.com/d/496/1430/s/adex.js> (5 minutes)
- <https://syndication.twitter.com/settings> (10 minutes)
- <http://s0.2mdn.net/instream/html5/ima3.js> (15 minutes)
- <http://www.googletagmanager.com/gtm.js?id=GTM-PXNL5Z> (15 minutes)
- <http://www.googletagservices.com/tag/js/gpt.js> (15 minutes)
- http://connect.facebook.net/de_DE/all.js (20 minutes)
- <http://platform.twitter.com/widgets.js> (30 minutes)
- <http://pp.lp4.io/app/56/5c/1c/565c1c50e45a1dc6499404c1.js> (30 minutes)
- <https://apis.google.com/js/plusone.js> (30 minutes)
- https://apis.google.com/js/rpc:shindig_random.js?onload=init (30 minutes)
- <http://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)
- <http://www.google-analytics.com/plugins/ua/linkid.js> (60 minutes)

Desktop

- <https://assets.adobedtm.com/launch-EN9015395a234d4173854ccfa304a0bc6c.min.js> (60 minutes)
- <http://script.ioam.de/iam.js> (2 hours)
- <http://stats.g.doubleclick.net/dc.js> (2 hours)
- <http://www.google-analytics.com/analytics.js> (2 hours)
- <https://z.moatads.com/iqdigital277772407506/moatad.js> (4.9 hours)
- <http://media-cdn.sueddeutsche.de/interactiveeditorial/assets/css/a7142ecd4f29f700a6fd16d9de82928c-interactiveeditorial.css> (24 hours)
- <http://media-cdn.sueddeutsche.de/interactiveeditorial/assets/js/102f9a105bb7642da9811abc58ccaac0-interactiveeditorial.js> (24 hours)
- <http://media-cdn.sueddeutsche.de/paidarticlefurtherreading/assets/css/b4b6d4e4d4c16a275dc900ab42110599-paidarticlefurtherreading.css> (24 hours)
- <http://media-cdn.sueddeutsche.de/paidarticlefurtherreading/assets/js/5c8acf72bcc548d0722cd2dad761ca5-paidarticlefurtherreading.js> (24 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 6 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://polpix.sueddeutsche.com/staticassets/js/sde-core.js?r=1523288006.1>
- <http://script.ioam.de/iam.js>
- <http://s0.2mdn.net/instream/html5/ima3.js>
- http://media-cdn.sueddeutsche.de/globalassets/adcontroller/cdn_sz/a55b5d7ed8b23273dc6a67feb618fac4
- <http://iqtest.sueddeutsche.de/assets/application-61afe7bbfab93adbbdf839e93c4cd5f62.js>
- <http://media-cdn.sueddeutsche.de/adblock/adx/images/ADS/admax/adops/ads.js>

Desktop

[Optimize CSS Delivery](#) of the following:

- <http://polpix.sueddeutsche.com/staticassets/css/sde-core.css?r=1523288006.1>
- <http://media-cdn.sueddeutsche.de/szmodules/assets/css/2e2a9ddbfbfc290a1f6f119f96f0e861e-sz-modules-desktop.css>
- <http://media-cdn.sueddeutsche.de/globalassets/css/desktop-prod-a9c5783b9d293a23561f96553611444e.css>
- <http://media-cdn.sueddeutsche.de/interactiveeditorial/assets/css/a7142ecd4f29f700a6fd16d9de82928c-interactiveeditorial.css>
- <http://media-cdn.sueddeutsche.de/paidarticlefurtherreading/assets/css/b4b6d4e4d4c16a275dc900ab42110599-paidarticlefurtherreading.css>
- <http://iqtest.sueddeutsche.de/assets/application-7f2c092d3682ea7cc0aa621d5e93362e.css>



Consider Fixing:

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 20.1KiB (18% reduction).

- Minifying <http://iqtest.sueddeutsche.de/> could save 20.1KiB (18% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.2KiB (15% reduction).

- Minifying <http://script.ioam.de/iam.js> could save 913B (13% reduction) after compression.

Desktop

- Minifying <http://media-cdn.sueddeutsche.de/interactiveeditorial/assets/js/102f9a105bb7642da9811abc58ccaac0-interactiveeditorial.js> could save 309B (31% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 76.9KiB (47% reduction).

- Compressing <http://polpix.sueddeutsche.com/staticassets/img/sprites/www/szcommon.www.png?r=9699c294f6> could save 12.4KiB (41% reduction).
- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/sprite_header.png?r=u0aa5851f could save 10.8KiB (45% reduction).
- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/sprite_header.png?r=u3231c893 could save 10.8KiB (45% reduction).
- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/sprite_header.png?r=u45d4c9e3 could save 10.8KiB (45% reduction).
- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/sprite_header.png?r=ua9dada12 could save 10.8KiB (45% reduction).
- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/sprite_header.png?r=uca05ff1a could save 10.8KiB (45% reduction).
- Compressing http://polpix.sueddeutsche.com/staticassets/img/modules/weather/heiter-rgb_50x60.png could save 3.3KiB (71% reduction).
- Compressing http://polpix.sueddeutsche.com/staticassets/img/modules/weather/heiter_nachts-rgb_50x60.png could save 3KiB (73% reduction).
- Compressing http://media-cdn.sueddeutsche.de/globalassets/img/header/sharingbar_popup_arrow_sprite.png?r=u45d4c9e3 could save 2.8KiB (80% reduction).
- Compressing http://polpix.sueddeutsche.com/staticassets/img/modules/weather/wolkig-rgb_50x60.png could save 1.3KiB (51% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 2% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:14](#)



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).